

IN THE CLAIMS:

Please add Claims 12 and 13 as follows:

Amendments to the claims:

1. (original) A refrigerator, comprising:

a housing having a cooled interior space;

at least one drawer disposed in said interior space for storing bottles;

said at least one drawer having a frame with two opposite sides; and

said at least one drawer having a plurality of rods to be releasably mounted parallel to and spaced apart from one another between said two opposite sides of said frame at selectable distances from one another.

2. (original) The refrigerator according to claim 1, wherein said rods have a cross section with an upwardly directed rounding.

3. (original) The refrigerator according to claim 2, wherein said rounding has a diameter of approximately 20 mm.

4. (original) The refrigerator according to claim 1, wherein said rods have a circular cross section.

5. (original) The refrigerator according to claim 1, wherein said rods are formed of wood.

6. (original) The refrigerator according to claim 1, wherein said frame has opposite side elements, and said rods are mounted to said opposite side elements by a plug-in connection.

7. (original) The refrigerator according to claim 6, wherein said plug-in connection includes a pin formed of a flexible material and having one end engaging in a drilled hole in one of said side elements and another end engaging in a blind drilled hole in one of said rods.

8. (original) The refrigerator according to claim 7, wherein said pin is oriented vertically.

9. (original) The refrigerator according to claim 6, wherein at least one of said side elements has a projection facing an opposite one of said side elements, for latching one end of each of said rods.

10. (original) The refrigerator according to claim 1, wherein said at least one drawer stores bottles in a reclining position.

11. (original) The refrigerator according to claim 1, wherein said at least one drawer stores bottles in a horizontal position.

12. (new) A refrigerator, comprising:

a housing having a cooled interior space;  
at least one drawer disposed in said interior space for storing bottles;  
said at least one drawer having a frame with two opposite sides, said frame including opposite side elements; and said at least one drawer having a plurality of rods to be releasably mounted parallel to and spaced apart from one another between said two opposite sides of said frame at selectable distances from one another, said rods mounted to said opposite side elements by a plug-in connection, said plug-in connection includes a pin formed of a flexible material and having one end engaging in a drilled hole in one of said side elements and another end engaging in a blind drilled hole in one of said rods.

13. (new) The refrigerator according to claim 12, wherein said pin is oriented vertically.